





**INSTALLATION ESTIMATED IN 1 HOUR AND A HALF**

 <b>HYUNDAI</b>	<b>HYUNDAI</b>	<b>PLUG AND PLAY CBL059HYDB21</b>	<b>PROTOCOL RESISTIVE</b>
Vehicle	Year	OEM Radio	
Santa Fe	2010->	All models	
Veloster	2012->	All models	
i20	2010->	All models	
i30	2011->	All models	
i40	2012->	All models	
ix20	2010->	All models	
ix35	2010->	All models	
ix55	2010->	All models	

<b>Connector position: Radio location</b>	<b>ANTENNA ADAPTER</b>
<p>Back the radio compartment is located the OEM radio connector</p> 	<p>Code: K54ADA3964/21</p> 

**ANTENNAS CONNECTION**




CONNECT TO THE RADIO ANTENNA PLUG

CONNECT TO THE CAR ANTENNA CONNECTOR

**DAB ANTENNA  
SMB CONNECTION**

**ANTENNAS CONNECTION**



CONNECT TO THE RADIO ANTENNA PLUG

CONNECT TO THE CAR ANTENNA CONNECTOR

**DAB ANTENNA  
SMB CONNECTION**

**NOTE**

TUNES ON THE RADIO THE DEFAULT FM STATION AND MEMORIZE THE FREQUENCY 87.7 mHz IN ONE OF THE FREE CHANNEL (EXAMPLE POSITION 1).

POWER THE MEDIADAB HD, IT WILL START ON, IT SHOULD APPEAR THE **SCAN** OPERATION.

IT TAKES SOME MINUTES. TO MAKE THIS BE SURE THAT THE CAR IS IN AN OPEN SPACE AND THE DAB ANTENNA IS CORRECTLY CONNECTED. ONCE SCAN IS END THE FIRST DAB STATION AVAILABLE SHOULD PLAY.

# STERING WHEEL PROGRAMMING PROCEDURE



## ATTENTION

BEFORE STARTING THE STEERING WHEEL COMMANDS LEARNING PROCEDURE PLEASE CHECK THAT THE OEM RADIO IS CONNECTED AND THE KEY IS TURNED ON LEARNING PROCEDURE IS ALLOWED ONLY FOR 60 SECONDS AFTER INTERFACE POWER ON.  
IF THE INTERFACE WILL NOT RECOGNIZE STEERING WHEEL BUTTONS IS NECESSARY TO REMOVE AND CONNECTED BACK AGAIN POWER.

**PRESS VOLUME — THE LED BECOMES ORANGE: PLEASE KEEP IT PRESSED FOR 1 SECOND AND RELEASE IT WHEN THE LED IS RED**



**PRESS VOLUME + THE LED BECOMES ORANGE: PLEASE KEEP IT PRESSED FOR 1 SECOND AND RELEASE IT WHEN THE LED IS RED**



**PRESS SEEK — THE LED BECOMES ORANGE: PLEASE KEEP IT PRESSED FOR 1 SECOND AND RELEASE IT WHEN THE LED IS RED**



**PRESS SEEK + THE LED BECOMES ORANGE: PLEASE KEEP IT PRESS FOR 1 SECOND AND RELEASE IT WHEN THE LED IS RED**





**PRESS MODE THE LED BECOMES ORANGE: PLEASE KEEP IT PRESS FOR 1 SECOND AND RELEASE IT WHEN THE LED IS RED**





**PRESS QUICKLY THE BUTTON OF MEDIADAB TO JUMP MUTE FUNCTION, LED BECOMES ORANGE AND TURNS IMMEDIATELY RED**





**PRESS VOICE THE LED BECOMES ORANGE: PLEASE KEEP IT PRESS FOR 1 SECOND AND RELEASE IT WHEN THE LED IS RED**



**PRESS PHONE UP THE LED BECOMES ORANGE: PLEASE KEEP IT PRESS FOR 1 SECOND AND RELEASE IT WHEN THE LED IS RED**



**PRESS PHONE DOWN THE LED BECOMES ORANGE: PLEASE KEEP IT PRESSED TILL THE LED IS GREEN**



THE LEARNING PROCEDURE IS FINISHED.



In case of an incorrect working of the steering wheel commands functions, please make a RESET of the module, as described below, by pressing the button of the unit till the LED of the module switches OFF.





HYUNDAI

PLUG AND PLAY  
CBL059HYDB21

PROTOCOL  
RESISTIVE

**QUICK MENU**

SWITCH ON  
VOLUME  
SEQUENCE



VOL+



VOL-



VOL+



VOL-

SWITCH OFF  
VOLUME  
SEQUENCE



VOL+



VOL-



VOL+



VOL-

OR TROUGH THE MENU

ENTER MENU'  
SOURCE  
SEQUENCE



**PRESS MODE LONG**

MENU'  
NAVIGATION  
SEEKS

**PREVIOUS  
SEEK —**



**NEXT  
SEEK +**

CONFIRM A  
MENU  
SELECTION  
PRESS  
MODE

**SHORT PRESS**



CHANGE  
CHANNEL  
THROUGH SEEK

**PREVIOUS  
SEEK —**



**NEXT  
SEEK +**

CHANGE  
FAVOURITE  
CHANNEL  
THROUGH SEEK

**LONG PRESS  
PREVIOUS  
CHANNEL**



**LONG PRESS  
NEXT  
CHANNEL**

ADD FAVOURITE  
CHANNEL  
VOLUME  
SEQUENCE



VOL-



VOL+

SCAN

**PRESS  
MODE  
3 TIMES**

