


INSTALLATION ESTIMATED IN 1 HOUR			
mazoa	MAZDA	PLUG AND PLAY CBL059MADB11	PROTOCOL RESISTIVE
Vehicle	Year	OEM Radio	OEM Radio
Cx-5	2014-2015	K54ADSUA3064/21	All models
Cx7	2007-2012	ISO	All models
Mazda 2	2006-2013	ISO	All models
Mazda 3	2006-2012	K54ADSUA3064/21	All models
Mazda 5	2006-2015	K54ADSUA3064/21	All models
Mazda 6	2008-2012	K54ADSUA3064/21	All models







NOTES

PLEASE TUNE THE FM RADIO ON THE DEFAULT STATION AND STORE THE FREQUENCY 87.7 MHZ IN ONE OF FREE CHANNELS (I.E. POSITION 1). PLEASE POWER MEDIADAB HD: THE MODULE WILL START AND IT WILL ENABLE THE SCAN OPERATION, FOR WHICH IT NEEDS A FEW MINUTES. PLEASE MAKE SURE THAT THE CAR IS IN AN OPEN AREA AND THE DAB ANTENNA IS CONNECTED PROPERLY. ONCE THE SCANNER IS COMPLETE, IT WILL START TO PLAY THE FIRST DAB STATION AVAILABLE.

INSTALLATION ESTIMATED IN 1 HOUR



ATTENTION

BEFORE STARTING THE STEERING WHEEL COMMANDS LEARNING PROCEDURE PLEASE CHECK THAT THE OEM RADIO IS CONNECTED AND THE KEY IS TURNED ON LEARNING PROCEDURE IS ALLOWED ONLY FOR 60 SECONDS AFTER INTERFACE POWER ON. IF THE INTERFACE WILL NOT RECOGNIZE STEERING WHEEL BUTTONS IS NECESSARY TO REMOVE AND CONNECTED BACK AGAIN POWER.

PRESS VOLUME — THE LED BECOMES ORANGE: PLEASE KEEP IT PRESSED FOR 1 SECOND AND RELEASE IT WHEN THE LED IS RED







PRESS VOLUME + THE LED BECOMES ORANGE: PLEASE KEEP IT PRESSED FOR 1 SECOND AND RELEASE IT WHEN THE LED IS RED







PRESS SEEK — THE LED BECOMES ORANGE: PLEASE KEEP IT PRESSED FOR 1 SECOND AND RELEASE IT WHEN THE LED IS







PRESS SEEK + THE LED BECOMES ORANGE: PLEASE KEEP IT PRESS FOR 1 SECOND AND RELEASE IT WHEN THE LED IS RED







PRESS MODE THE LED BECOMES ORANGE, KEEP IT PRESSED TILL THE LED TURNS RED









PRESS QUICKLY THE BUTTON OF MEDIADAB TO JUMP MUTE FUNCTION, LED BECOMES ORANGE AND TURNS IMMEDIATELY RED



PRESS VOICE KEY: THE LED BECOMES ORANGE: PLEASE KEEP IT TILL THE LED IS GREEN







THE LEARNING PROCEDURE IS FINISHED.



In case of an incorrect working of the steering wheel commands functions, please make a RESET of the module, as described below, by pressing the button of the unit till the LED of the module switches OFF.







MAZDA

PLUG AND PLAY CBL059MADB11

PROTOCOL RESISTIVE

QUICK MENU SWITCH ON **VOLUME SEQUENCE** VOL+ VOL-VOL+ VOL -SWITCH OFF **VOLUME SEQUENCE** VOL+ VOL-VOL+ VOL — OR TROUGHT THE MENU **ENTER MENU' PRESS** SOURCE SOURCE **SEQUENCE** LONG MENU' **PREVIOUS NEXT NAVIGATION** SEEK -SEEK + **SEEKS CONFIRM A MENU SELECTION SHORT PRESS PRESS SOURCE CHANGE PREVIOUS CHANNEL NEXT** SEEK -SEEK + THROUGH SEEK **CHANGE** LONG LONG **FAVOURITE PRESS SEEK PRESS CHANNEL PREVIOUS** SEEK+ THROUGH SEEK ADD FAVOURITE **CHANNEL VOLUME SEQUENCE** VOL-VOL+ **PRESS** SOURCE **SCAN** 3 TIMES