




INSTALLATION ESTIMATED IN 1 HOUR AND A HALF

		TOYOTA	PLUG AND PLAY CBL059TODB11	PROTOCOL RESISTIVE
Vehicle	Year	ANTENNA ADAPTER	PLUG AND PLAY	OEM Radio
Auris	2007-2009	DIN	CBL059TODB11	All models
Auris	2014->	K54ADA9014/21	X	All models
Avensis	2004-2008	DIN	CBL059TODB11	All models
Corolla	2004-2006	DIN	CBL059TODB11	All models
Hilux	2010->	DIN	CBL059TODB11	All models
Prius	2011->	K54ADA9014/21	KITCBL053TODB11	All models
Rav 4	2004-2006	DIN	CBL059TODB11	All models
Verso	2009-2012	DIN	CBL059TODB11	All models
Verso	2013->	K54ADA9014/21	KITCBL053TODB11	All models
Yaris	2006-2012	DIN	CBL059TODB11	All models
Yaris	2013-2016	K54ADA9014/21	KITCBL053TODB11	All models

Connector position: Radio location	ANTENNA ADAPTER	
<p>Back the radio compartment is located the OEM radio connector</p> <p style="text-align: center;">CBL059TODB11</p>  <p style="text-align: center;">POWER SPEAKERS</p> <p style="text-align: center;">SWC CONNECTORS</p> <hr/>  <p style="text-align: center;">KITCBL053TODB11</p>	<p>Code: CBL054ANDB12</p> 	<p>Code: K54ADA9014/22</p> 



NOTE

TUNES ON THE RADIO THE DEFAULT FM STATION AND MEMORIZE THE FREQUENCY 87.7 mHz IN ONE OF THE FREE CHANNEL (EXAMPLE POSITION 1). POWER THE MEDIADAB HD, IT WILL START ON, IT SHOULD APPEAR THE **SCAN** OPERATION. IT TAKES SOME MINUTES. TO MAKE THIS BE SURE THAT THE CAR IS IN AN OPEN SPACE AND THE DAB ANTENNA IS CORRECTLY CONNECTED. ONCE SCAN IS END THE FIRST DAB STATION AVAILABLE SHOULD PLAY.

STERING WHEEL PROGRAMMING PROCEDURE



ATTENTION

BEFORE STARTING THE STEERING WHEEL COMMANDS LEARNING PROCEDURE PLEASE CHECK THAT THE OEM RADIO IS CONNECTED AND THE KEY IS TURNED ON LEARNING PROCEDURE IS ALLOWED ONLY FOR 60 SECONDS AFTER INTERFACE POWER ON.
IF THE INTERFACE WILL NOT RECOGNIZE STEERING WHEEL BUTTONS IS NECESSARY TO REMOVE AND CONNECTED BACK AGAIN POWER.

PRESS VOLUME — THE LED BECOMES ORANGE: PLEASE KEEP IT PRESSED FOR 1 SECOND AND RELEASE IT WHEN THE LED IS RED



PRESS VOLUME + THE LED BECOMES ORANGE: PLEASE KEEP IT PRESSED FOR 1 SECOND AND RELEASE IT WHEN THE LED IS RED




PRESS SEEK — THE LED BECOMES ORANGE: PLEASE KEEP IT PRESSED FOR 1 SECOND AND RELEASE IT WHEN THE LED IS RED



PRESS SEEK + THE LED BECOMES ORANGE: PLEASE KEEP IT PRESS FOR 1 SECOND AND RELEASE IT WHEN THE LED IS RED



PRESS MODE THE LED BECOMES ORANGE: PLEASE KEEP IT PRESS FOR 1 SECOND AND RELEASE IT WHEN THE LED IS RED



PRESS QUICKLY THE BUTTON OF MEDIADAB TO JUMP MUTE FUNCTION, LED BECOMES ORANGE AND TURNS IMMEDIATELY RED



PRESS VOICE THE LED BECOMES ORANGE: PLEASE KEEP IT PRESS FOR 1 SECOND AND RELEASE IT WHEN THE LED IS RED



PRESS PHONE UP THE LED BECOMES ORANGE: PLEASE KEEP IT PRESS FOR 1 SECOND AND RELEASE IT WHEN THE LED IS RED



PRESS PHONE DOWN THE LED BECOMES ORANGE: PLEASE KEEP IT PRESSED TILL THE LED IS GREEN



THE LEARNING PROCEDURE IS FINISHED.



In case of an incorrect working of the steering wheel commands functions, please make a RESET of the module, as described below, by pressing the button of the unit till the LED of the module switches OFF.





TOYOTA

PLUG AND PLAY
CBL059TODB11

PROTOCOL
RESISTIVE

QUICK MENU

SWITCH ON
VOLUME
SEQUENCE



VOL+

VOL-

VOL+

VOL-

SWITCH OFF
VOLUME
SEQUENCE



VOL+

VOL-

VOL+

VOL-

OR TROUGH THE MENU

ENTER MENU'
SOURCE
SEQUENCE



PRESS MODE LONG

MENU'
NAVIGATION
SEEKS

**PREVIOUS
SEEK —**



**NEXT
SEEK +**

CONFIRM A
MENU
SELECTION
PRESS
MODE

**SHORT
PRESS**



CHANGE
CHANNEL
THROUGH SEEK

**PREVIOUS
SEEK —**



**NEXT
SEEK +**

CHANGE
FAVOURITE
CHANNEL
THROUGH SEEK

**LONG PRESS
PREVIOUS
CHANNEL**



**LONG PRESS
NEXT
CHANNEL**

ADD FAVOURITE
CHANNEL
VOLUME
SEQUENCE



VOL-

VOL+

SCAN

**PRESS
MODE
3 TIMES**

